


Southeastern RACE Region



- Zone 1:**
- Cape Fear
 - Brunswick
 - Dosher
 - Pender
 - Columbus*

- Zone 2:**
- Naval
 - Bladen
 - Onslow
 - Duplin

* If AL2 is not available at Columbus, follow Zone 2 protocol

Zone 1:

- **Transfer for PPCI**
- Use of EMS or Airlink for transfer
- ASA, Heparin Bolus, Ticagrelor
- **Goals:**
- Door-to-EKG < 10 Minutes
- Door-in Door-out < 30 Minutes
- 1st Door-to-Balloon < 90 Minutes

Zone 2:

Lytic and Transfer

- Use of Vitalink or Airlink for transfer
- Lytic, ASA, Heparin Bolus, Clopidogrel

Goals:

- Door-to-EKG < 10 Minutes
- Door-to-Lytic < 30 minutes

Zone 1


STEMI Protocol: Transfer for PPCI

Chest Pain or Equivalent:

EKG within 10 minutes

Meets STEMI criteria?

No



Yes

Reg Comm:
Dispatch EMS or
Airlink

1-877-NHSTEMI

EMS or Airlink Available?

No

Yes

Administer Lytic:

**Door to Lytic < 30
minutes**

ASA (325 mg PO)

**Heparin Bolus (60 IU/Kg,
max dose 4,000 IU)**

**Clopidogrel (Age < 75
give 300 mg PO,**

Age > 75 give 75 mg PO)

Avoid Nitro Drip

Prepare for Transfer

Goals:

EKG < 10 Minutes

*Door-in Door-out < 30
Minutes*

*1st Door-to-Balloon <
90 Minutes*

Administer:

ASA (325 mg PO)

Heparin Bolus (60 IU/Kg)

Ticagrelor (180 mg PO)

NTG SL or Paste PRN

Avoid Nitro Drip

Prepare for Transfer

Zone 2

STEMI Protocol: Fibrinolytic and Transfer

